


109- WORK STATION






Track Title		(inch)			(mm)			
Track Title	Piece	Thickness	Length	Width	Piece	Thick	Height	Most
A	2	0,71	81,89	13,78	2	18	2080	350
В	1	0,71	43,86	13,78	1	18	1114	350
С	1	0,71	26,14	12,95	1	18	664	329
D	1	0,71	43,86	12,99	1	18	1114	330
E	1	0,71	43,86	6,89	1	18	1114	175
F	1	0,71	43,86	11,81	1	18	1114	300
G	2	0,71	27,56	18,50	2	18	700	470
Н	1	0,71	35,83	12,80	1	18	910	325
К	1	0,71	7,32	12,80	1	18	186	325
L	3	0,71	26,77	14,76	3	18	680	375
м	1	0,31	44,49	10,51	1	8	1130	267

Accessories List


Accessories List				
MNX 02	MNG - 01	KVL 01	TAP - 01	
20 / piece	20 / piece	18 / piece	20 / piece	
TS - 01	TSY - 01	KP - 03	VKP - 01 (22) mm	
4 / piece	2 / piece	2 / piece	2 / piece	
AVT - 01	VD - 02 (3,5x25) mm	VD - 03 (3,5x18) mm	PM - 01	
7 / piece	10 / piece	16 / piece	8 / piece	
DSE - 01 (40x90x32) mm	DD - 01 (R10)	TFC - 01(8x70) mm	VTB - 01 (4,8x16) mm	
1000			E James	
2 / piece	2 / piece	2 / piece	8 / piece	
PL - 02 (8x22x1) mm	H 01			









STEP 1



- Page 3












STEP 4









STEP 6













STEP 8















Must be secured to the wall made of brick, concrete or similarly strong material.

Mounting to wooden or metal studs is also acceptable.


Do not mount directly to sheetrock or paper-mache type walls not supported by studs.





















Track Title		(inch)			(mm)			
	Piece	Thickness	Length	Width	Piece	Thick	Height	Most
A		1,18	42,91	23,62	1	30	1090	600
В		1,18	27,17	23,54	2	30	690	598
С		0,71	40,47	6,30	1	18	1028	160
D		0,71	42,83	2,76	1	18	1088	70


Accessories List

Accessories List			
MNX 02	MNG - 01	KVL 01	TAP - 01
14 / piece	14 / piece	12 / piece	14 / piece
TKR-01 (30) mm	VTB - 01 (4,8x16) mm		
	E DIMINIO		
/ / Dioco	0 /!	I	
























VIDEO







Page 15 -




Accessories List




STEP 01



STEP 02









ATTENTION / HOW TO / READ ME / OWNER'S GUIDE

- 1. When mounting on a regular drywall, furniture must be fastened to wood or metal studs. Solid walls made of brick, concrete or similar strong material are also accaptable. Do not mount furniture to paper-mache or sheet rock like material without properly aaixing to stud.
- 2. For safety and product longevity you must periodically inspect the mounting and mechanical connections for integrity and tightness. Confirm hardware remains properly affixed and connections snug.
- 3. Wall Bed mattress thickness may not exceed 8 inch. Take care to remove pillows and excess blankets before closing. Doing so keeps mechanism free of obstruction and unnecessary stress.
- 4. Do not lean or rest heavy objects on side or top of furniture. This may cause balance issues and compromise the integrity of your mounting connections.
- 5. Please use the furniture's beds, desks and shelving as intended. Not designed to be sat, stood, leaned, jumped (etc) on. Improper use may cause personal injury and damage to property.
- 6. With seasonal humidity change you must inspect interior and exterior of furniture.
- 7. Single, Twin, Twin XL beds accommodate the weight of one person. Improperly sleeping more than one person risks injury to person and damage to property.
- 8. Before any un-mounting or disassembly please contact Multimo for technical support and instruction. Failure to properly detach risks injury to person and damage to property.
- 9. For Bunk Beds:
- a. Always use provided ladder when accessing top bunk.
- b. Be slow, careful and aware of surroundings when opening top bunk.
- c. Do not horseplay. Beds are to be slept on only.
- d. Some have legs that fully extend when open- be aware of where the leg is and will be.



www.multimo.com